



# PRODUCT CATALOGUE



ABOUT ENFORCER GROUP

Established in 2007, the Enforcer Group is the direct importer and manufacturer of a wide range of car park and safety products. The company also offers specialist safety services for line marking and installation of safety products. Clients who have used our services have always talked positively about us to others, helping us grow quickly.

As importers, the company follows a stringent procedure of evaluating all imports for quality and adherence to the Australian standards. Any divergence to the quality noticed by our quality check team is immediately reported to ensure that the products do not make it to the markets or even to our warehouse.

As manufacturers, we continually identify new and better technologies which can improve the quality of our products and be compliant to the standards. The Enforcer Group has a team which

researches new materials and technologies which can help us improve our product offerings.

We also put a lot of emphasis in reducing our carbon footprint. This is done by implementing manufacturing procedures that encourage resource efficiency. Additionally, we use recycled materials for manufacturing several products. Most of our products are 100% recyclable so they do not harm the environment even after they have served their purpose.

Our company values its customers and its employees. Through years of learning, we have found the satisfaction of our employees to be one of the major drivers of client satisfaction and more positive reviews. Happy employees have helped us forge a stronger position in the market and build a company that is known for its excellence in customer services and product offerings.

13

Year of Experience

5000+

Satisfied Customers

1000+

Successful Projects

CONTENTS

03  
ENFORCER SERVICES

08  
BOLLARD

41  
CABLE PROTECTOR

51  
CONVEX MIRROR

55  
CORNER GUARDS

59  
TACTILE

26  
WHEEL STOP

45  
ONE WAY ROAD SPIKES

53  
PARKING SIGNS

57  
SAFETY PRODUCTS

61  
STAIR NOSE

34  
SPEED HUMP

47  
BIKE RACKS

54  
HEIGHT BAR

58  
LINE MARKING  
PRODUCTS

63  
BOLT & SPIKES



“

**NO PROJECT IS TOO  
BIG OR TOO SMALL  
FOR OUR TEAM**

”

## SERVICES

- ✓ **LINE MARKING**
- ✓ **TACTILE INSTALLATIONS**
- ✓ **STAIR NOSE INSTALLATIONS**
- ✓ **INSTALLATIONS**

## LINE MARKING

### LINE MARKING

We offer a comprehensive line marking service to complete any project. Specializing in industrial and commercial environments, our line markers are available 7 days a week including night shift to minimize interruption for your business. We are able to satisfy all your line marking needs, Car Parks, Shopping Centres, Schools, Sports Courts – Outdoor, Body Corporate and factory safety lines/ OH&S requirements

### LINE MARKING REMOVAL

We offer a fast and simple solution with our eco-friendly surface restoration and preparation equipment that's capable of removing painted lines and markings without causing damage to surfaces. Whether you're a council needing line mark removal from various roads or require existing painted line removal from an industrial warehouse, you can trust our team has the perfect solution.

### FLOOR COATING

We provide complete satisfaction to our clients. We install easy to maintain, hard wearing, chemical resistant, anti-slip and decorative floor coatings across the variety of industries including Commercial Construction Projects, Food and Beverage Processing Plants, Pharmaceutical Industries, Commercial Kitchens, Industrial Warehouses and Car Parking Facilities.

We also provide the concrete treatment and sealer application service where the Epoxy Flooring is not a requirement but client's still needs anti-slip, dust proof, glossy and anti-microbial concrete floor. All our products are environmentally friendly, water based and low VOC meeting the regulatory permissive limit of EPBC Act 1999.

We have integrated floor coating services with easy access and slip resistant needs of public places and provide end to end solutions and consultancy to Project Managers, Local Government, Architects and Factory Managers. We develop floor coating specifications according to use and need of premises to provide best suitable floor experience.



# TACTILE INSTALLATIONS

## TACTILE INSTALLATION


Tactile are a special flooring tile with a very significant raised profile designed to provide the visually impaired with warning of impending hazard(s) or give directional guidance. Ensuring that your building and its surroundings are safe and accessible. Tactile are ideal for footpaths, commercial car parks, indoor and outdoor stairways, railway platforms, passenger platforms, vehicle pick-up/drop-off areas (e.g. bus stops), escalators, ramps or car park crossings and kerbs.

We provide a comprehensive range of hard-wearing Tactile Ground Surface Indicators (TGSIs), both 'Hazard' and 'Directional' type.



All our tactile indicators are designed to the requirements of AS1428.4 with the highest quality on the market and come with marketing leading warranties. We have a solution for every project and can offer options to minimise cost and enhance the appearance of the finished construction.

We supply and install quality Tactile indicators in Australia. Our Tactile indicators are manufactured for perfection and raise the bar for pedestrian safety. We improve safety for both wet and dry areas in the commercial, residential and retail setting.



**BEST RANGE OF  
TACTILE  
PRODUCTS  
PAGE 59**

# STAIR NOSING

## STAIR NOSING INSTALLATION



Slips, trips and falls on stairways are a more common occurrence in industrial and commercial environments than they should be.

Stair Nosing is a great way to give extra grip on your stairs, you can minimise injuries at your workplace by installing Stair Nosing, and prevent incidents from occurring.

Our Stair Nosing solutions can work for any environment. So, you get a maintenance-free solution with a quick installation, at a great price.

We supply and install a wide range of architecturally designed profiles to meet every demand, from heavy duty traffic in railway stations to the more general retail/ office use, providing maximum pedestrian safety and WHS requirements.

our Stair Nosing's are well tested and come in a range of styles and colours to suit use in just about any environment. They are manufactured to meet and exceed the Australian standards and building codes. Our stair nosing is completely anti-slip and can easily mount to the edge of your stairs.



**BEST RANGE OF  
STAIR NOSING  
PRODUCTS  
PAGE 61**





## INSTALLATIONS

### INSTALLATIONS

We offer a comprehensive Installation service to complete any project. Specialising in industrial and commercial environments all Carpark fit outs including bike racks, bollards, wheel-stops, speed humps, height bars, mirrors, and storage Cages.


**No project is too big or too small for our team,** our installers have years of experience with all Australian safety standards and will work with you to come up with a solution that's right for you.

We focus on offering the best solutions when it comes to installations, with the purpose of finding the most qualitative and cost-effective result for our customers.



Book an Appointment

**1300-854010**



## BOLLARD


“

**BOOST YOUR  
SECURITY IN  
MELBOURNE AND  
SYDNEY WITH OUR  
BOLLARDS**

”




BOLLARD MATERIALS




STAINLESS STEEL  
BOLLARD(SS)

They are manufactured from silver grade 304 stainless steel pipes. They are 100% recyclable. These pipes are ideal for asset protection together with architectural standards, because they are very strong and have an architectural brushed Stainless-Steel finish. You can rely on them for safeguarding an area.




GALVANISED STEEL  
BOLLARD(GAL)

Hot-dipped galvanized steel- These are more durable because they prevent rust build-up on the surface. They are also made of stainless steel and are designed to be strong. It is more suited for areas where they are exposed to the outside weather like open parking lots and driveways.



POWDER COATED  
BOLLARD(PC)

Bollards can also be powder coated in safety yellow, for people to easily identify them in poor light conditions. These are useful to reduce accidents or damage to the products. In some areas, the government may require safety-yellow finish to be used for better visibility of the product.



POLYURETHANE  
BOLLARD(PU)

In some areas, they are placed to control traffic without causing damage to the vehicles. They are very flexible, and they can easily bounce back after impact without damage to the vehicle or extensive damage to the product. It can weather most conditions and is not susceptible to rust.

IN-GROUND BOLLARD



**PRODUCT DETAILS**

These are permanently installed in one place and can go in concrete or asphalt. In-ground bollards In ground bollards also known as below ground bollards and these are the best option for protecting your assets or store front. They have fully welded hold down bars for installation into new concrete footings.

In-ground variations can be used in parking areas, shopping centers and warehouses to control traffic and improve safety of the area. They can be stainless steel, or hot dipped galvanized and even powder coated.


Product code	Bollard diameter	Height	Height above ground	Depth in-ground	Wall thickness	Base bar width	Weight (Kgs)	Finish
B90-IG-SS304	90	1200	900	300	3	25	8	SS
B140-IG-SS304	140	1200	900	300	3	25	13	SS
B90-IG-Y	90	1280	900	380	3	25	8	PC
BHD90-IG-Y	90	1600	1200	400	5	25	17	PC
B140-IG-Y	140	1580	1200	380	3	30	15	PC
B165-DP-IG-Y	165	1680	1300	380	3	30	20	PC
B114-IG-Y	114	1400	1100	300	3	30	11.5	PC
B90-IG-Gal	90	1280	900	380	3	25	8	GAL
B140-IG-Gal	140	1700	1200	500	3	30	18	GAL
B140-IG-Gal	140	1700	1200	500	5	30	26	GAL

All Dimensions are in mm

SS - Stainless Steel GAL - Hot Dipped Galvanised Steel PC - Powder Coated







IN-GROUND BOLLARD




SS

**B90-IG-SS304**







Base BarFlat Head1200mm Height90mm Diameter




SS

**B140-IG-SS304**







Base BarFlat Head1200mm Height140mm Diameter




PC

**B90-IG-Y**







Base BarDome Head1280mm Height90mm Diameter




PC

**BHD90-IG-Y**







Base BarDome Head1600mm Height90mm Diameter




PC

**B140-IG-Y**







Base BarDome Head1580mm Height140mm Diameter




PC

**B165-DP-IG-Y**







Base BarDome Head1680mm Height165mm Diameter




NEWPC

**B114-IG-Y**







Base BarDome Head1400mm Height114mm Diameter




GAL

**B90-IG-Gal**







Base BarDome Head1280mm Height90mm Diameter




GAL

**B140-IG-Gal**



Base BarDome Head1700mm Height140mm Diameter

REMOVABLE BOLLARD



**PRODUCT DETAILS**

There are times when bollard is installed in a place where they cannot be permanently bolted to the ground. It could be because the area experiences vehicular traffic at times and may need clearance. For properties where these products are used to safeguard assets, they may have to be removed if a vehicle must be moved from that area.

They include a sleeve or a shoe which can be locked with a key lock or pad lock. It is designed to be strong and durable and can be removed whenever there is a need to free up space.

**TWO KEYS FOR KEY-LOCK BOLLARD**

**SLEEVE INCLUDED**

Product code	Bollard diameter	Height	Height above ground	Depth in-ground	Wall thickness	Sleeve height	Sleeve diameter	Sleeve Lock	Weight (Kgs)	Finish
B90-IG-REM-SS316	90	1125	900	225	3	225	100	PL	10	SS
B90-IG-REM-KL-SS316	89	1125	900	225	3	225	102	KL	11	SS
B90-IG-REM-KL-Y	90	1125	900	225	3	225	100	KL	10	PC
B90-IG-REM-PL-Y	90	1125	900	225	3	225	100	PL	10	PC
B140-IG-REM-PL-Y	140	1450	1200	250	3	250	150	PL	19	PC
B140-IG-REM-KL-Y	140	1450	1200	250	3	250	150	KL	19	PC

All Dimensions are in mm

KL - Key Lock PL - Pad Lock SS - Stainless Steel PC - Powder Coated




Installation Available

IN-GROUND BOLLARD

REMOVABLE BOLLARD




REMOVABLE BOLLARD




SS


B90-IG-REM-SS316




Pad Lock




Dome w/ Handle Head



1125mm Height




90mm Diameter




NEW  
SS


B90-IG-REM-KL-SS316




Key Lock




Flat Head



1125mm Height




89mm Diameter




PC


B90-IG-REM-KL-Y




Key Lock




Dome w/ Handle Head



1125mm Height




90mm Diameter




PC


B90-IG-REM-PL-Y




Pad Lock




Dome w/ Handle Head



1125mm Height




90mm Diameter




PC


B140-IG-REM-PL-Y




Pad Lock




Dome w/ Handle Head



1450mm Height




140mm Diameter




PC


B140-IG-REM-KL-Y




Key Lock



Dome w/ Handle Head



1450mm Height





140mm Diameter

Key Lock


Pad Lock

\*Lock need to buy separately






NEED CUSTOM BOLLARDS?  
PLEASE ENQUIRE!



Installation Available


Detailed Specification on page 12

REMOVABLE SURFACE MOUNT BOLLARD




PC


B90-SM-REM-Y




Key Lock



Dome w/ Handle Head



1000mm Height



90mm Diameter

PRODUCT DETAILS

Enforcer Steel Bollards are designed in Australia for Australian Conditions, Environmentally friendly Manufactured from Steel Pipe, and 100% Recyclable.

Hot Dipped Galvanised Steel for rust prevention, finished powder coated in safety Yellow with Class 1 Red Reflective Band. Fully welded round base plate. Easy to install or relocate, designed to be strong and durable, with a strong metal Bollard Dome Cap (not cheap plastic cap)

Removable surface mounted key lock bollards are easy to use and very convenient, use them when you need to protect your assets or safe your area, and then remove them with the handle on the cap to clear access. They come with a shoe which you can simply lock in too, 2 keys included to remove them at any time.

Suited to use in Concrete to withstand from cars, trucks, and forklifts. For all Warehouses, Car Parks, Driveways, even Machinery.

FEATURES

- Manufactured from heavy duty Steel Pipe
- Hot Dipped Galvanised Steel for rust prevention
- Light weight easy to install by one person
- Comes with a shoe which can simply lock in, 2 keys included (keyed alike)

B90-SM-SHOE

Product code	Bollard diameter	Height	Base Plate diameter	Base plate height	Wall thickness	Weight (Kgs)	Mounting holes	Finish
B90-SM-REM-Y	90	1000	200	20	3	11	4xø14mm	PC


All Dimensions are in mm

PC - Powder Coated

NEED HEIGHT BAR?

PAGE 54

MAXIMUM HEIGHT 2.1 METRES



Installation Available


13

1300-854010 | sales@enforcergroup.com.au | www.enforcergroup.com.au

14

1300-854010 | sales@enforcergroup.com.au | www.enforcergroup.com.au





# ENFORCER GROUP'S PREMIUM BOLLARDS

DESIGNED WITH PRECISION



BP140-IG-REM-PL-SS



BP140-IG-REM-KL-Y

UNIQUE RETRACTABLE HANDLE DESIGN



Enforcer premium bollard is a long-awaited product for the construction architectural market, getting the benefit of a handle to remove it out of the sleeve, and staying with the luxury high class architectural look.

Now with our unique designed premium bollard, we are happy to be the first company in Australia to stock the product that can serve its purpose of being there when you need them and simply removed with its retractable handle when access is needed, and will always have the high class architectural look.

REMOVABLE PREMIUM PAD LOCK BOLLARD



BP140-IG-REM-PL-SS

-  Pad Lock
-  Movable Handle
-  1150mm Height
-  140mm Diameter

**PRODUCT DETAILS**

Our steel Bollards are designed in Australia for Australian conditions, environmentally friendly manufactured from steel pipe, and 100% recyclable. Silver grade 304 stainless steel, with architectural brushed stainless-steel finish.

Removable padlock bollards are easy to install, designed to be strong and durable, easy to use and very convenient, they come with a sleeve which you can simply lock in too with your padlock.

Suited to use in concrete or asphalt when you install with concrete pads to withstand from cars, trucks, and forklifts. At shopping centre car parks, government, or corporate centres, and all other areas where bollards are needed.

REMOVABLE PREMIUM KEY LOCK BOLLARD



BP140-IG-REM-KL-Y

-  Key Lock
-  Movable Handle
-  1150mm Height
-  140mm Diameter

**PRODUCT DETAILS**

Another premium product from Enforcer Group is Powder coated steel Bollards designed in Australia for Australian conditions, environmentally friendly manufactured from Steel Pipe and 100% Recyclable.

Removable sleeve lock bollards are easy to use and very convenient, use them when you need to protect your assets or safe your area, and then remove them with the handle on the cap to clear access. They come with a sleeve which you can simply lock in too, 2 keys included to remove them at any time.

Suited to use in concrete or asphalt. At shopping centre car parks, government, or corporate centres, and all other areas where bollards are needed.

	Product code	Bollard diameter	Height	Height above ground	Depth in-ground	Wall thickness	Sleeve height	Sleeve diameter	Sleeve Lock	Weight (Kgs)	Finish
Premium	BP140-IG-REM-PL-SS	140	1150	900	250	3	250	150	PL	18	SS
	BP140-IG-REM-KL-Y	140	1150	900	250	3	250	152	KL	19	PC

All Dimensions are in mm

KL - Key Lock PL - Pad Lock SS - Stainless Steel PC - Powder Coated



Installation Available

PREMIUM BOLLARD

PREMIUM BOLLARD



BOLLARD STORAGE SLEEVE

Enforcer galvanised storage sleeves are specially designed to store your bollard safely and efficiently. Helps to prevent unwanted damage and reduces the risk of bollards being a trip hazard for pedestrians when they are removed and not in use.

Suited to use in Concrete to keep the bollard safe when not in use for all Warehouses, Car Parks, Driveways.

Product code	Sleeve diameter	Sleeve Height	Wall thickness	Base plate length	Base plate width	Base plate thickness	Mounting holes	Weight (Kgs)
B140-IG-REM-BASE	152	250	4	-	-	-	-	4
B90-IG-REM-BASE	100	225	4	-	-	-	-	4
B140-SM-REM-BASE	150	200	4	200	130	5	4xø14mm	4
B90-SM-REM-BASE	100	200	4	150	80	5	4xø14mm	3
B90-SM-BASE-DOUBLE	102	200	4	300	80	5	4xø14mm	4
B140-SM-BASE-DOUBLE	152	200	4	400	130	5	4xø14mm	8

All Dimensions are in mm



B140-IG-REM-BASE



B90-IG-REM-BASE



B140-SM-REM-BASE



B90-SM-REM-BASE




B90-SM-BASE-DOUBLE



B140-SM-BASE-DOUBLE

BOLLARD STORAGE SLEEVE

SURFACE MOUNTED BOLLARD



PRODUCT DETAILS

Surface-mounted bollards offer high strength and are easier to install and maintain. In-ground installation may not always be possible. So, you can surface mount them.

They come with a base plate that can be bolted to the ground. The base plates are strongly welded to the product to ensure longevity. It is available in stainless steel and hot-dipped galvanized steel as well as in powder coated safety yellow. You can use it in shopping centres, warehouses, car parks, driveways, and machinery.

Product code	Bollard diameter	Height	Wall thickness	Base Plate diameter	Base plate thickness	Mounting holes	Weight (Kgs.)	Finish
B90-SM-SS304	90	900	3	180	5	4xø14mm	7	SS
B140-SM-SS304-900	140	900	3	250	5	4xø18mm	11	SS
B140-SM-SS304-1200	140	1200	3	250	5	4xø14mm	15	SS
B63-SM-Y	63	900	2	150	5	4xø10mm	4	PC
B90-SM-Y	90	900	3	225	8	4xø14mm	8	PC
B90-SM-Y-BC	90	900	3	225	8	4xø14mm	8	PC
B140-SM-Y	140	1200	3	300	10	4xø16mm	17.5	PC
B140-SM-Y-BC	140	1200	3	300	10	4xø16mm	17.5	PC
B140-DP-SM-Y	140	1300	3	300	10	4xø16mm	18	PC
B165-SM-Y	165	1200	3	300	10	4xø18mm	20	PC
B165-DP-SM-Y	165	1300	3	300	10	4xø16mm	21	PC
B90-SM-Gal	90	900	3	225	8	4xø14mm	8	GAL
B140-SM-Gal	140	1200	3	300	10	4xø18mm	15	GAL


All Dimensions are in mm

SS - Stainless Steel GAL - Hot Dipped Galvanised Steel PC - Powder Coated


SURFACE MOUNTED BOLLARD




SURFACE MOUNTED BOLLARD



SS







SS







SS

**B90-SM-SS304**







5mm Thick Base Flat Head 900mm Height 90mm Diameter

**B140-SM-SS304-900**




5mm Thick Base Flat Head 900mm Height 140mm Diameter


**B140-SM-SS304-1200**




5mm Thick Base Flat Head 1200mm Height 140mm Diameter



PC







PC







PC

**B63-SM-Y**







5mm Thick Base Dome Head 900mm Height 63mm Diameter

**B90-SM-Y**




8mm Thick Base Dome Head 900mm Height 90mm Diameter

**B90-SM-Y-BC**







8mm Thick Base Black Cap 900mm Height 90mm Diameter




PC

**B140-SM-Y**




10mm Thick Base Dome Head 1200mm Height 140mm Diameter



100% AUSTRALIAN


ENFORCER GROUP  
PRODUCTS ARE **DESIGNED**  
IN **AUSTRALIA**, FOR  
**AUSTRALIAN CONDITIONS.**

**BOLLARD FIXINGS?**




12mm Dyna Bolt

(or)



16mm Dyna Bolt


(or)




Coach Screw

PAGE 63


SURFACE MOUNTED BOLLARD



PC







PC







PC

**B140-SM-Y-BC**







10mm Thick Base Black Cap 1200mm Height 140mm Diameter

**B140-DP-SM-Y**




10mm Thick Base Dome Head 1300mm Height 140mm Diameter


**B165-SM-Y**




10mm Thick Base Dome Head 1200mm Height 165mm Diameter



PC







GAL







GAL

**B165-DP-SM-Y**







10mm Thick Base Dome Head 1300mm Height 165mm Diameter

**B90-SM-Gal**



8mm Thick Base Dome Head 900mm Height 90mm Diameter

**B140-SM-Gal**



10mm Thick Base Dome Head 1200mm Height 140mm Diameter

Detailed Specification on [page 18](#)

BEST SELLERS



B140-IG-Gal



B90-IG-REM-KL-Y



BP140-IG-REM-PL-SS




B90-SM-SS304

SURFACE MOUNTED BOLLARD

SURFACE MOUNTED BOLLARD



DISABLED PARKING



The law and impotence of disabled parking

Parking spaces for disabled persons must be clearly marked to ensure it is not mistaken as regular parking space. It helps disabled persons easily identify the parking space and parking there. Both public and private buildings should have proportional disabled parking to make sure that enough space is available for disabled persons.

A disabled parking space is important because when a disabled person is traveling, there are logistical considerations like the use of a wheelchair or crutches when the person gets down the car. If the person driving the car is disabled and will be unloading the wheelchair themselves, then they would need adequate space to be able to do so. It is important that the parking space is safe, and they will be able to unload the wheelchair without having to face oncoming traffic.

Enforcer Group provides complete disability parking space solutions and services. This includes compliance to the different Australian requirements related to parking for people with disabilities. Our products include everything from line marking products to tactile ground surface indicators, from signs to blue colored wheel

“**MAKE ACCESSIBLE PARKING MORE ACCESSIBLE**”


stops which indicate accessible parking space. You can reach out to us if you are not sure of the products you will require to build an accessible parking space.

We reference the following Australian standard for our disabled parking products and services: AS/NZS 2890.6:2009 – Off-street parking for people with disabilities. This standard identifies the layout requirements for parking areas. It includes minimum requirements for accessible parking in Australia and New Zealand, including headroom requirements and requirements for vehicular access to these spaces.

DISABLED PARKING BOLLARDS

Product code	Bollard Type	Details
B165-DP-IG-Y	In-Ground	Page 10
B140-DP-SM-Y	Surface Mount	Page 18
B165-DP-SM-Y		

FLEXIBLE BOLLARD



PRODUCT DETAILS

The flexible bollard is great for those who want a “softer” bollard. Our flexible bollard is made from durable polyurethane, which means it won’t leave damage on a vehicle that happens to hit it (it simple bounces back).

This model comes in a high-visibility colour with reflective tape, and is lightweight, making it easy for one person to install and relocate. It is an affordable option for those who require a bollard that shows a warning for cars, trucks, and forklifts. They can be used along with speed bumps for regulating traffic.

Product code	Bollard diameter	Height	Base diameter	Base thickness	Mounting holes	Weight (Kgs.)	Finish
B-Flex-O	80	750	200	10	3xø12mm	2	PU
Bflex750	80	750	200	10	3xø12mm	2	PU

All Dimensions are in mm  
PU - Polyurethane



**BOLLARD AND WHEEL STOP  
HIGHEST SAFETY ENSURED!**

**NEED WHEEL STOP?  
PAGE 26**



PARKING BOLLARD



B90-Parking

- Metal Head
- 750mm Height
- 90mm Diameter
- 90 Degree Fold
- 110 Fold Clearance



B-Parking

- Black Cap
- 650mm Height
- 60mm Diameter
- 180 Degree Fold
- 90 Fold Clearance



PRODUCT DETAILS

Parking lots and areas can be rather chaotic and messy. One way to give yours more structure is to invest in parking bollards, which are great for sectioning off different areas and directing traffic flow also ideal for car parks that have varying parking restrictions that change depending on the time or day.

These are designed to be installed on the concrete with nuts and bolts. They are locked into an upright position, and no one can fold it down until you use your key. Once it is unlocked and folded down, you can easily park your car.

Product code	Bollard diameter	Height	Fold Clearance	Wall thickness	Base plate width	Base plate length	Mounting holes	Weight (Kgs)	Finish
B90-Parking	90	750	110	3	200	175	4xø12mm	10	PC
B-Parking	60	650	90	3	100	175	2xø18mm	5	PC

All Dimensions are in mm  
PC - Powder Coated



Installation Available




REMOTE CONTROLLED PARKING LOCK



NEW



B-Parking-Remote



PRODUCT DETAILS

Automatic remote-control bollards are extremely easy to use and allow you to protect and access your parking space by remote control. Upon entering your parking space simply lower your parking bollard via remote control. It will lay flat, so you can drive over it.

When leaving your parking space simply raise it via remote and it will automatically rise back up to prevent unauthorised access of your parking space. Simple to install and amazingly easy to use.

Use your remote control from up to 50 metres away to lower or raise your automatic folding bollard as you approach your parking space.

FEATURES

- Manufactured from hot dipped galvanised steel and then powder coated safety yellow
- Prevents your parking spot from being taken by illegal parkers
- Simple to install and amazingly easy to use
- Use your remote control from up to 50 metres away
- 2 remote controls and fixings bolts included



Product code	B-PARKING-REMOTE
Nominal voltage	DC 6V
Upright	450x330x400mm
Lowered	450x450x75mm
Finish	Baking Finish
Remote range	20M~50M



STILL CONFUSION IN SELECTING THE RIGHT BOLLARD?

LET OUR TEAM OF PROFESSIONALS WILL CHOOSE THE RIGHT ONE FOR YOU!

GIVE US A CALL


1300-854010





RETRACTABLE BELT BARRIER




RB-SS-R

- 

Black Cap
- 

900mm Height
- 

63mm Diameter
- 

2M Strap Length

PRODUCT DETAILS

Enforcer Retractable Belt Barrier Bollard are designed for Australian conditions, environmentally friendly manufactured from steel pipe, and 100% recyclable.


Silver polished stainless steel, with a high quality 2 meter nylon belt, durable Self-locking clips, features a 4-way connectivity.

Easy to install or relocate, designed to be strong and durable, no fixings or tools are required, product comes with a base, post (includes the belt), and cover for the base.

Suited to use for crowd management, guidance and direction, in shopping centres, hotels, trade shows, and all retail environments.

FEATURES

- Silver polished stainless steel
- High quality 2meter nylon belt
- Durable Self-locking clips, features a 4-way connectivity
- Suited to use for crowd management in shopping centres, hotel, trade shows
- Easy to install, no fixings or tools required
- Available in red or black belt



Product code	Diameter	Height	Base plate diameter	Base plate height	Strap Length	Strap Material	Strap Colour	Weight (kgs)	Finish
RB-SS-R	63	900	320	30	2Meter	Nylon	Red	6	SS
RB-SS-B	63	900	320	30	2Meter	Nylon	Black	6	SS

All Dimensions are in mm  
SS - Stainless Steel



Installation Available



WHEEL STOPS

“  
**CREATE A  
PROTECTIVE  
PARKING SPACE  
WITH OUR  
WHEEL STOPS**  
”



# INTRODUCING ALL NEW THE ENFORCER WHEEL STOP



**5** Year  
Manufacturing  
Warranty



Durable



AS/NZS  
2890.1:2004



Recycled  
Plastic



Reflective  
Panels

## ENFORCER WHEEL STOP

### PRODUCT DETAILS

We are happy to introduce you to our new product "ENFORCER" wheel stop.

The Enforcer Wheel stop compiles to AS/NZS 2890.1:2004. It is environmentally friendly and manufactured from 100% Recycled Plastic.

It is one piece moulded, very easy to install and has yellow reflective panels on either side to increase night time visibility. It is a heavy duty product which won't fade, chip or crack. And comes with a guaranteed 5-year manufacturing warranty.


Suited to use in Concrete or Asphalt Surface for Factories, Schools, Hospitals, Airports, Warehouse and all Indoor or outdoor car parks.

### FEATURES


- Australian standards approved
- Most durable Wheel Stop on the market
- Manufactured from 100% Recycled Plastic
- One-piece moulded Wheel Stop with reflective yellow panels
- Replaces cheap Rubber wheel stops
- Designed to withstand Australia Climate condition
- Fixing bolts included (Concrete or Asphalt)

Product code	Length	Height	Width	Weight (Kgs.)	Fixings (Nos.)
WS-Enforcer	1650	100	150	14	3
Colour	Black with yellow reflective panels				


All Dimensions are in mm



Free  
Fixings

  
16mm diameter x 150mm Long  
Dyna Bolts for concrete

(or)

  
14mm dia x 300mm Long  
Spikes for Asphalt



Installation Available



RECYCLED PLASTIC WHEEL STOP



3 Year  
Manufacturing  
Warranty

PRODUCT DETAILS

Enforcer Recycled Plastic Wheel Stop comply to AS/NZS 2890.1:2004 Environmentally friendly Manufactured from Recycled Plastic and weighs only 11kg.

One piece moulded Very easy to install, designed to be Strong and durable Tough and Solid construction, Unique patented shape for Enforcer Group only, Class 1 Diamond Grade reflective panels on either side to increase night time visibility. (Grey Stops do not have stickers)

Suited to use in Concrete or Asphalt for Factories, Warehouses and all Indoor and outdoor car parks.

Product code	Length	Height	Width	Weight (Kgs.)	Fixings (Nos.)	Colour
WS-RW-B	1650	100	115	11	3	Black
WS-RW-G	1650	100	115	11	3	Grey

All Dimensions are in mm  
**\*Grey Stops do not have reflective stickers**



WS-RW-B

Durable

AS/NZS 2890.1:2004

Recycled Plastic

Reflective Panels



Free Fixings

16mm diameter x 150mm Long Dyna Bolts for concrete

(or)

14mm dia x 300mm Long Spikes for Asphalt

Installation Available

POLY WHEEL STOP



5 Year  
Manufacturing  
Warranty

PRODUCT DETAILS

Enforcer Poly Wheel Stop comply to AS/NZS 2890.1:2004, Environmentally friendly Poly (LLDPE) 100% Recyclable.

Manufactured from ultra-tough Linear Low-Density Polyethylene (LLDPE). One piece moulded, lightweight very easy to install by one Person, designed to be strong and durable, these wheel stops will not warp, crack, chip or rot.

Available in Safety Yellow for high visibility and pedestrian safety, Blue for disabled parking spaces, Black and Concrete Grey. Finished with nice curved edges to avoid trip hazard.

Suited to use in Concrete or Asphalt for Schools, Hospitals, Airports, Factories, Warehouses and all Indoor and outdoor car parks.

Length	Height	Width	Weight (Kgs.)	Fixings (Nos.)
1650	100	150	4.5	3


All Dimensions are in mm

Durable

AS/NZS 2890.1:2004

Ultra-Tough LLDPE

Light Weight



Product code	Colour
WS-Poly-Black	Black
WS-Poly-Grey	Concrete Grey
WS-Poly-Yellow	Yellow
WS-Poly-Blue	Blue
WS-Poly-Green	Green
WS-Poly-Orange	Orange



Free Fixings

16mm diameter x 150mm Long Dyna Bolts for concrete

(or)

14mm dia x 300mm Long Spikes for Asphalt

Installation Available

RECYCLED PLASTIC WHEEL STOP

POLY WHEEL STOP



RUBBER WHEEL STOP



PRODUCT DETAILS

Enforcer Rubber Wheel Stops, Comply to AS/NZS 2890.1:2004 Environmentally friendly manufactured from Recycled Rubber and weighs only 14kg.

One piece moulded very easy to install. Solid black rubber with yellow reflective panels on either side to increase night time visibility.


Suited to use in Concrete or Asphalt for Factories, Warehouses and all Indoor Car parks.

WS-Rubber

DurableAS/NZS 2890.1:2004Recycled RubberReflective Panels

Product code	Length	Height	Width	Weight (Kgs.)	Fixings (Nos.)
WS-Rubber	1650	100	150	14	3
Colour	Black rubber with yellow reflective panels				

All Dimensions are in mm



Free Fixings

(or)

Installation Available

TRUCK WHEEL STOP



PRODUCT DETAILS

Enforcer Truck Wheel Stop, environmentally friendly, Manufactured from Recycled plastic, heavy-duty moulded. Designed to be Strong and durable Solid construction, tough to withstand Australia's harsh climate.

Class 1 diamond grade reflective panels providing high visibility effectively positioned and protected from tyre contact.


Suited to use for Truck parking in any situation, Petrol stations, Rest stops, and Truck stop parking bays, Two are installed next to each other to form a 2.5m long truck stop, Truck Wheel Stops are not Recommended for Asphalt or Gravel Surfaces.

WS-Truck

DurableRecycled PlasticReflective Panels

Product code	Length	Height	Width	Weight (Kgs.)	Fixings (Nos.)
WS-Truck	1250	150	150	20	4
Colour	Black with yellow reflective panels				

All Dimensions are in mm




Free Fixings

(or)

Installation Available



WHEEL STOP INSTALLATION GUIDE



AUSTRALIAN STANDARDS FOR WHEEL STOPS

The Australian Standard AS2890.1: 2004 outlines the design, use, and placement of this product.

The standard requires all users to avoid a situation where these products hinder the path of pedestrians moving to and from the vehicles or crossing a car parking space for any reason. This is done to reduce pedestrian hazards caused by traffic control products.

PLACEMENT

The placement of the vehicles depends on two factors – the height of the curb and whether the vehicle will be parked front in or rear in.

For front in parking, if the curb height is less than 150mm high, then the distance between the stop and the front of the parking space will be 620mm for 100mm high wheel stops.

On the other hand, if the curb height is higher than 150mm or it is a wall, then the distance between the stop and the front of the parking space will be 820mm for 100mm high stops.

For rear in parking, if the curb height is less than 150mm high then the distance will be 900mm for 100mm high stops.

If the curb height is more than 150mm then the distance between the curb or wall and the stop will be 1100mm for 100mm high stops.

Parking Direction	Wheel stop distance	
	Parking to kerb <150mm high	Parking to kerb >150mm high
Front-In	620	820
Rear-In	900	1100

All Dimensions are in mm



SPEED HUMPS

“  
IMPROVE THE SAFETY OF PEDESTRIANS AND MOTORIST WITH OUR SPEED HUMPS  
”



HEAVY DUTY RUBBER SPEED HUMP



PRODUCT DETAILS

Enforcer Rubber Speed Hump comply to AS/NZS 2890.1:2004 environmentally friendly manufactured from new and recycled rubber, easy to install or relocate.

Designed to be strong and durable they don't crack or shrink, The sections measure up at 250mm long so it's easy to make the lengths you need knowing that 4 centre sections make 1 Metre, the End Caps are to round them off neatly to finish the job.

Suited to use in Concrete or Asphalt to Slow speeding drivers down in areas like Schools, Hospitals, Retirement Villages, Multi Storey Car Parks, Caravan Parks, Can also be used as a liquid bunding if installed with a sealant. E.g. silastic.

FEATURES

- Manufactured from new and recycled rubber
- Designed to be strong and durable with low noises
- Light weight easy to install by one person
- Built-in prismatic reflectors for enhanced night visibility
- Fixing Bolts Included (Concrete or Asphalt)


SH-Rubber

Durable

AS/NZS 2890.1:2004

Recycled Rubber

Prismatic Reflector



Product code	SH-Rubber
Section Dimension	250L x 350W x 50H
End cap	250L x 350W
Weight	14kg per Meter
Fixings (Nos)	2 per section
Colour	Black and Yellow

All Dimensions are in mm

Free Fixings

14mm Hilti plug

100mm coach Screw

12mm Washer

Installation Available

PLASTIC SPEED HUMP



PRODUCT DETAILS

Enforcer Plastic Speed Hump environmentally friendly Manufactured from Nylon Plastic with solid Yellow and Black colour, UV Stabilized. Unique Diamond shape for Anti Slip. Designed to be Light weight, easy to install or relocate, with low noise.

Strong and durable for indoor and outdoor to use in the hot Australian sun, they don't fade, crack, or shrink, the End Caps are to round them off neatly to finish the job.

Suited to use in Concrete or Asphalt to Slow speeding drivers down in areas like Schools, Hospitals, Retirement Villages, Multi Storey Car Parks, Caravan Parks, can also be used as a liquid bunding if installed with a sealant. e.g. silastic.

FEATURES


- Manufactured from Nylon Plastic
- Designed to slow speeding drivers down
- Light weight easy to install by one person
- Strong and durable for indoor and outdoor use
- Fixing Bolts Included (Concrete or Asphalt)

SH-Plastic

Durable

Inter-Locking

Diamond Pattern



Product code	SH-Plastic
Section Dimension	500L x 350W x 40H
End cap	180L x 350W
Weight	3kg per Meter
Fixings (Nos)	6 per section
Colour	Black and Yellow

All Dimensions are in mm

Free Fixings

14mm Hilti plug

100mm coach Screw

12mm Washer

Installation Available

HEAVY DUTY RUBBER SPEED HUMP

PLASTIC SPEED HUMP



POLY SPEED HUMP




PRODUCT DETAILS

Enforcer Poly Speed Hump comply to AS/NZS 2890.1:2004 Environmentally friendly Manufactured from Linear Low-Density Polyethylene (LLDPE) with solid colour. Unique Diamond shape for Anti Slip. Moulded 25mm cable channel. Designed to be Light weight, easy to install or relocate.


The sections measure up at 250mm long so it's easy to make the lengths you need knowing that 4 centre sections make 1 Metre, the End Caps are to round them off neatly to finish the job.

Suited to use in Concrete or Asphalt to Slow speeding drivers down in areas like Schools, Hospitals, Retirement Villages, Multi Storey Car Parks, Caravan Parks, can also be used as a liquid bunding if installed with a sealant. e.g. silastic.

FEATURES



- Manufactured from Ultra-Tough Linear Low-Density Polyethylene (LLDPE)
- Designed for heavy duty trucks and transport depots
- Light weight easy to install by one person
- Built-in prismatic reflectors for enhanced night visibility
- Fixing Bolts Included (Concrete or Asphalt)



Product code	SH-Poly
Section Dimension	250L x 355W x 55H
End cap	180L x 355W
Weight	7kg per Meter
Fixings (Nos)	2 per section
Colour	Black and Yellow

All Dimensions are in mm

Free  
Fixings



14mm Hilti plug



100mm coach Screw



Fender Washer



STEEL SPEED HUMP



PRODUCT DETAILS


Enforcer Heavy Duty Metal speed hump comply to AS/NZS 2890.1:2004. Designed for high traffic areas where Heavy Duty traffic calming is required.

Metal Speed Humps have Black & Yellow markings for high visibility, designed to be strong and durable with 6mm Steel, easy to install or relocate, they don't crack or fade. End Caps are to round them off neatly to finish the job,


Suited to use in Concrete or [Asphalt] to Slow speeding drivers down in areas like Schools, Hospitals, Retirement Villages, Multi Storey Car Parks, Caravan Parks.

Not recommended for Asphalt surfaces, uneven, or curved surfaces.

FEATURES



- Manufactured from Heavy Duty 6mm Steel
- Designed for heavy duty trucks and transport depots
- Load rated for 100 Tonne B Double Trucks
- Black & Yellow markings for high visibility
- Fixing Bolts Included



Product code	SH-Steel
Section Dimension	1000L x 485W x 50H
End cap	200L x 485W
Weight	26kg per Meter
Fixings (Nos)	8 per section
Colour	Black and Yellow

All Dimensions are in mm

Free  
Fixings



14mm Hilti plug



100mm coach Screw



12mm Washer



POLY SPEED HUMP

STEEL SPEED HUMP



CUSHION SPEED HUMP



PRODUCT DETAILS

Enforcer Cushion Speed Hump are environmentally friendly manufactured from new and recycled rubber, Speed Cushions are made to calm down with Smoother approach, they're tough enough to withstand and slow down large vehicles.

Designed to be strong and durable they don't crack or shrink, The sections measure up at 900mm long so it's easy to make the lengths you need, the End Caps are to round them off neatly to finish the job nice and clean.


Suited for both indoor and outdoor roads, driveways, to use in Concrete or Asphalt to Slow speeding drivers down in areas like Schools, Hospitals, Retirement Villages, Multi Story Car Parks, Caravan Parks.

SH-Cushion



FEATURES

- Manufactured from new and recycled rubber
- Designed to be strong and durable with low noises
- Light weight easy to install by one person
- Built-in prismatic reflectors for enhanced night visibility
- Fixing Bolts Included (Concrete or Asphalt)



Product code	SH-Cushion
Section Dimension	500L x 900W x 50H
End cap	250L x 900W
Weight	20kg(7.5kg ends)
Fixings (Nos)	5 per section
Colour	Black and Yellow

All Dimensions are in mm

Free  
Fixings



14mm Hilti plug



100mm coach Screw



12mm Washer



RUMBLE STRIPS



PRODUCT DETAILS

Enforcer Rumble strips are environmentally friendly manufactured from new and recycled rubber, easy to install or relocate.

Designed to be strong and durable they don't crack or shrink, Rumble strips are a perfect solution for a speed moderator or lane divider on roadways, bicycle lanes, driveways and car parks.


Suited to use in concrete or asphalt to slow speeding drivers down in areas like Schools, Hospitals, Retirement Villages, Multi Story Car Parks, Caravan Parks, can also be used as a liquid bunding if installed with a sealant. e.g. silastic.

SH-Rumble-Strip



FEATURES

- Manufactured from new and recycled rubber
- Designed to be strong and durable with low noises
- Light weight easy to install or relocate
- Can be used for liquid bunding with sealant e.g. silastic
- Fixing Bolts Included



Product code	SH-Rumble-Strip
Section Dimension	500L x 100W x 20H
Weight	4kg per Meter
Fixings (Nos)	4 per section
Colour	Black and Yellow

All Dimensions are in mm

Free  
Fixings





6mm x 35mm Nylon Anchor





CABLE PROTECTOR SPEED HUMP



PRODUCT DETAILS

Enforcer Cable Protectors are environmentally friendly manufactured from new and recycled rubber. Cable protectors are made to protect cables or leads and eliminate the risk of trips and falls from loose cabling.

The sections interlock and multiple units can be connected for required length. Recommended for temporary applications, light-duty vehicle or pedestrian traffic.

Suited for both indoor and outdoor use, for offices, work sites, warehouses, garages, exhibitions, etc.

FEATURES

- Manufactured from new and recycled rubber
- Designed to be strong and durable with low noise and they don't crack or shrink
- Great for indoor or outdoor use
- Easy placement and removal of cables/ hose lines with open-top style
- Interlocking modules, no fixings required
- Safety high-visibility yellow cover
- Weight capacity of up to 30 Ton

Product code	Length	Width	Height	Cable Size	No. of Channels	Weight (Kgs.)
SH-CP1C	1000	250	75	75 x 55	1	5
SH-CP2C	1000	250	50	40 x 25	2	7
SH-CP3C	900	500	70	60 x 55	3	15
SH-CP5C	900	500	50	35 x 35	5	15
Colour	Black with high-visibility yellow cover					
Fixings	Interlocking modules, no fixings required					

All Dimensions are in mm





SPEED HUMP SELECTION

Enforcer Group offers an extensive range of speed humps to suit and calm down light or heavy traffic. Our Speed Bumps are designed to be highly visible, weather-proof and cost effective. Here the quick comparison of the range of quality speed hump.

	SH-Rubber	SH-Plastic	SH-Poly	SH-Steel	SH-Cushion	SH-Rumble-Strip
Compile with AS/NZS 2890.1:2004	✓	✗	✓	✓	✗	✗
100% recyclable	✓	✗	✓	✓	✓	✓
Material	Rubber	Nylon Plastic	Polyethylene	Steel	Rubber	Rubber
Outdoor/Indoor usage	✓	✓	✓	✓	✓	✓
Suitable for Heavy Vehicle	✓	✗	✓	✓	✗	✓
Suitable for Light Traffic	✓	✓	✓	✓	✓	✓
Suitable for B double trucks	✗	✗	✓	✓	✗	✗
Section Width(direction of travel)	350mm	350mm	355mm	485mm	900mm	100mm
Height	50mm	40mm	55mm	50mm	50mm	20mm
Cable Channel	✗	✗	✓	✓	✗	✗
No. of Sections per meter	4	2	4	1	2	2
Fixings per section	2	6	2	8	5	4
Free Fixings(Bolt/Spike)	✓	✓	✓	✓	✓	✓
Inter-locking	✗	✓	✗	✗	✓	✗
Weight per meter	14kg	3kg	7kg	26kg	19kg	4kg
Durability score(out of 10)	8	7	10	10	7	8
Product page	35	36	37	38	39	40

DESIGN, USE AND PLACEMENT FOR SPEED HUMPS

**Height** Should be between 25 to 75mm.

**Cross Section** must be Flat-top of 100 to 150mm, not peaked or rounded.

**Ramp Angle** and height should be ratio 2:1

**Markings** must have alternating parallel stripes in yellow or white.

- They are appropriate for smaller or confined spaces like off-street parking, multi-storey car parks and other such areas where the speed of the vehicles is typically less than 30 km/h or less.
- They should be at least 10m apart along any aisle or roadway
- The maximum spacing is 50m when the speed must be continuously controlled along a roadway
- You must not place them on intersections or curved roadways.
- These should not obstruct pedestrian or wheelchair traffic in an accessible travel path intended for people with disabilities.

KERB RAMP & END

RKR

600mm Length  
450mm Width  
200mm Height  
2 Fixings Each Section

RKR-END

450mm Length  
450mm Width  
200mm Height  
2 Fixings Each Section

PRODUCT DETAILS

Enforcerkerbrampandendsareenvironmentally friendly manufactured from recycled black rubber, and has reflective diamond tread for hi visibility and to provide a non-slip surface.

These kerb ramps are designed to provide easy access to drive over roadside kerbs or steps, for vehicles, bicycles, trolleys, and lawn equipment. It can be used for temporary or permanent solutions, two mounting holes at the front of the ramp and two holes at the ramp ends allow it to be permanently mounted.

Easy to store or transport, you can just keep the kerb ramp in your van or truck for when its needed, they can be used individually or joint together to form a longer ramp, designed to be strong and durable.

Suited to use for construction sites, distribution centres, parks, or all other areas where access is needed over changes in ground levels.



Product code	Length	Width	Height	Weight (Kgs.)
RKR	600	450	200	20
RKR-END	450	450	200	5
Colour	Recycled black rubber, with reflective diamond tread			

All Dimensions are in mm

Installation Available



ONE WAY ROAD SPIKES




IWS

PRODUCT DETAILS

Enforcer One Way Road Spikes is a solution for creating a simple, mechanical one-way barrier and does not require an electrical infrastructure such as barriers or even gates, recommended to use on flat surfaces.

When a vehicle approaches from the correct direction the spikes simply retract, allowing the vehicle to pass freely. When approached from an unauthorized direction, the spikes lock up denying access and risking almost certain tyre damage. Designed to be extremely strong construction, Unique Open design eliminates build-up of road dirt and stones that causes normal one-way traffic spikes to fail.

Suited for exits and entrances to car parks, factories, and everywhere that is demanded a one-way direction.



Product code	Length	Width	Height	Weight (Kgs.)	Fixings
IWS	900	210	60	20	8
Colour	High visibility orange finish				

All Dimensions are in mm

Free Fixings



14mm Hilti plug, 100mm coach Screw and 12mm Washer





Installation Available

ONE WAY ROAD SPIKES




IWS-1Mtr

PRODUCT DETAILS

Enforcer One Way Road Spikes is a solution for creating a simple, mechanical one-way barrier and does not require an electrical infrastructure such as barriers or even gates, recommended to use on flat surfaces.

When a vehicle approaches from the correct direction the spikes simply retract, allowing the vehicle to pass freely. When approached from an unauthorized direction, the spikes lock up denying access and risking almost certain tyre damage. Designed to be extremely strong construction, Unique Enforcer Group design, comes in a 6mm thick plate to withstand from heavy duty cars and trucks. They come with end caps to round the edges nicely and not to leave a trip hazard

Suited for exits and entrances to car parks, factories, and everywhere that is demanded a one-way direction.




IWS-Ends

Product code	Length	Width	Height	End cap length	Weight (Kgs.)	Fixings
IWS-1Mtr	1000	385	50	270	26	6
Colour	High visibility orange finish					

All Dimensions are in mm

Free Fixings



14mm Hilti plug, 100mm coach Screw and 12mm Washer



ONE WAY SPIKE SIGNS  
CODE: ROAD-SPIKE-SIGN

ONE WAY ROAD SPIKES

ONE WAY ROAD SPIKES



## BIKE RACKS

When you are on a bicycle, traveling in a city, you would want stores and public spaces to take care of you and your bike. Cyclists always prefer stores that have bike racks to securely park their cycles while they are shopping. The same goes for public places like parks.

Without a dense network of bicycle racks, you can hardly promote the use of bicycles and reduce the number of cars and motorcycles used in the vicinity. These racks promote environment-friendliness and can make a big difference in how people commute on a daily basis.

### COMPLIANT TO AUSTRALIAN STANDARDS

Standards Australia recognizes the rules laid down under AS2890.3 (2015) as the minimum set of requirements for layout and design of bike parking facilities.

#### The requirements for a compliant bike parking device

- The rack should allow cyclists to lock at least one wheel and frame directly to the bike racks with the cyclist's own D-lock.
- They should provide the cycle with adequate support to avoid it from falling over
- It should be designed from high-quality material which provides higher security and can resist cutting, bending, and breaking.
- They should have tamper resistant fixings.

#### Failure to comply to these standards will result in the following challenges

- Delays in receiving development approval
- You may end up requiring additional space for bike parking
- Non-compliant bike racks will have to be replaced
- You may lose green Star points
- You may end up paying monetary fines

## BIKE RACKS

“

**ENCOURAGE  
CYCLIST & PROVIDE  
THEM WITH A  
SECURED **BICYCLE**  
**PARKING****

”



The absence of designated bike parking can create issues that may discourage cyclists from visiting in the future. Offering a safe, secure, accessible and easy-to-use bike parking solution to cyclists will ensure a bike friendly environment. More parking space for bikes - more customers coming in.

Suited to use in indoor or outdoor car parks, like shopping centres or libraries, it can be used in public and private areas for bike parking.




**Installation Available**



WALL MOUNTED BIKE RACKS



BR-WM-GB



Product code	Height	Depth	Width	Weight (Kgs.)
BR-WM-GB	700	600	150	3
Wall plate	100mmx40mmx6mm thick			
Finish	Powder coated Black			
Fixings	2xø10 mounting holes each side			

All Dimensions are in mm


FEATURES

- Manufactured from heavy duty steel pipe
- Hot Dipped Galvanised Steel for rust prevention
- Light weight easy to install by one person
- Weatherproof, safe and secure

SURFACE MOUNTED BIKE RACKS



BR-SM-SS304




Product code	Diameter	Height	Width	Weight (Kgs.)
BR-SM-SS304	50	850	850	8.5
Base plate	150mm diameter x 6mm thick			
Finish	Silver Brushed Stainless Steel			
Fixings	3xø12mm mounting holes			

All Dimensions are in mm

FEATURES

- Manufactured from heavy duty steel pipe
- Silver brushed grade 304 stainless steel
- Suitable for public and private areas
- Weatherproof, safe and secure



CAR PARK SUPPLIES

“ ENFORCER RANGE OF ESSENTIAL CAR PARKING PRODUCTS ”

MAXIMUM HEIGHT 2.1 METRES



“  
**HIGH SAFETY  
ENSURED WITH OUR  
CONVEX MIRROR**  
”

**CONVEX MIRROR**



A staple in most businesses across Australia, convex mirrors are a simple way to maintain surveillance and security, as well as offering increased safety in public areas.

Our convex mirrors are edged with an aluminium strip on the outward circumference and is formed from tough polycarbonate. Accompanied by a mounting kit to provide ease of adjustment, the mirrors can be adjusted to suit the angles that will offer the best vantage point.

Whether you're a shop owner who wants to keep an eye on customers travelling around the store, or you want to increase visibility around tight corners in car parks, choose Australia's preferred supplier of convex mirrors.



CM-800




CM-600



CM-450

Product code	Diameter	Visibility distance	Colour	Weight (Kgs.)
CM-450	450	up to 10m	Orange	2
CM-600	600	up to 15m	Orange	4
CM-800	800	up to 20m	Orange	7
Fixings	Wall or post mount bracket			

All Dimensions are in mm



Wall Mounting Kit & Pole

CONVEX MIRROR

CONVEX MIRROR



Installation Available



CAR PARK SIGNS, POLES & BRACKETS



SP-Stop-Sign  
Stop Sign  
600x600mm



SP-Give-Way-Sign  
Give Way Sign  
600x600mm



SP-Pedestrian  
Pedestrian Crossing  
600x600mm




SP-R2-4  
No Entry Sign  
450x450mm




SP-R2-8A  
No Exit Sign  
450x600mm


CLASS 1 REFLECTIVE ALUMINIUM




SP-R2-ENO  
Entry Only Sign  
450x600mm




SP-R2-EXO  
Exit Only Sign  
450x600mm



SP-5-kph-sign  
5 KM SPEED SIGN  
450x600mm



SP-Hump-sign  
Speed Hump Sign  
600x600mm



Road-Spike-Sign  
Road Spikes Ahead  
450x600mm

CLASS 1 REFLECTIVE ALUMINIUM

CLASS 1 DIAMOND REFLECTIVE YELLOW VINYL



SP-2.8-Gal-Pole  
Road Sign Pole  
60mm Diameter  
Galvanized, 2.8M Long



SP-Pole-Cap  
Pole Cap  
Suit 60mm O/D Sign Pole




SP-TD1  
Sign Bracket  
Suit 60mm O/D Pole



SP-TD2  
Sign Bracket  
Suit 60mm O/D Pole



HEIGHT CLEARANCE BAR



PRODUCT DETAILS

Enforcer height bars are manufactured from durable steel and has a safety yellow powder coated finish. They come in varies sizes and can be custom made to suit your area. Includes adjustable hanger assemblies with chain.

Text is custom applied to suit your requirements. Please specify your maximum clearance height for the text and the length of chain you require.

Designed to be strong and durable to remind people of overhead low clearance, it is the ideal solution for areas to eliminate damage to vehicles and property caused by oversize vehicles entering areas of restricted height.

Suitable for indoor or outdoor projects. For all warehouses, factories, car parks, or driveways.

FEATURES

- Custom sizes available to suit your area
- Designed to remind people of overhead low clearance
- Includes adjustable hanger assemblies with chain
- Includes wording: 'Low Clearance' or custom applied with your specified height

Product code	Length	Width	Thickness
HB-3MTR	3 Meter	1500	50
HB-4MTR	4 Meter	1500	50
HB-5MTR	5 Meter	1500	50
Colour	Safety Yellow		

All Dimensions are in mm

“CUSTOM TEXT & HEIGHT  
CAN BE MADE”



YES! WE DO  
INSTALLATION!

No project is big or small for our team

- Installation at your convenience
- Our teams take care of planning installations
- Night shift installations

BOOK AN APPOINTMENT: 1300-854010 (OR) [SALES@ENFORCERGROUP.COM.AU](mailto:SALES@ENFORCERGROUP.COM.AU)



HEAVY DUTY RUBBER CORNER GUARDS



CG-R



PRODUCT DETAILS

Rubber Corner guards are environmentally friendly, manufactured from new and recycled rubber, easy to install or relocate.

Designed to be strong and durable they don't crack or shrink, It is the ideal solution for the protection of pillars in car parks,

Entrances and exits to warehouses and factories, or simply for the protection of wall corners and vehicles around buildings and portables where there is a potential risk of vehicle impact.

Suitable for indoor or outdoor projects. for all warehouses, factories, car parks, or driveways.



Product code	Length	Width	Thickness	Weight(Kgs)
CG-R	800	90x90	10	2
CG-F	800	80x80	20	2
CG-F-C	900	40x30	-	2

All Dimensions are in mm

Installation Available

POLY CORNER IMPACT PROTECTION



CG-F

PRODUCT DETAILS

Highly visible Yellow/Black strips Soft PU Foam prevents personal injury Corner Protector, easy to install or relocate.

Manufactured from Soft Closed Cell Polyurethane uses high quality double sided adhesive tape to mount on most surfaces. These are of two types curved protector and corner protector.


Surface must be cleaned with methylated spirits to ensure good peel & stick.

Suitable for installation onto wall frames, garage doors, car parks, workshops Anti Collision Strips are ideal for preventing physical injury from exposed edges, corners, and low height protrusions.

Can be used for indoor or outdoor projects. For all warehouses, factories, car parks, or driveways.



CG-F-C



Installation Available




## PLASTIC SAFETY CHAIN




SP-Plastic-Chain

### PRODUCT DETAILS

- 8mm Red and White Plastic Safety Chain, 50 Mtr per Roll
- Safety Chain designed for indoor and outdoor use and is extremely durable
- It can easily be used to form a barricade across bollards, witches hats & traffic cones



## PLASTIC TRAFFIC CONE





Cone

### PRODUCT DETAILS

These cones are lightweight and easy to handle. Chains and flags can be easily connected to cones. High visible orange colour and reflective tape increase cone visibility in the evening and low light. Made in Australia for use in Australian weather conditions.

Suitable for traffic safety and control, construction sites, hazard marking, parking areas, factories, exhibitions, hotels and more.



## LINE MARKING PRODUCTS




LMT

### LINE MARKING TAPE

Line marking tape can be used for permanent or temporary line marking tape, each roll can make 6 standers car parking spaces lines. No machinery or fixings needed, simply peel off backing tape and install to any dry surface. Its light weight can be lifted to reposition or remove at any time.

Built in non-slip and glass beads for night time reflectivity, can be driven over straight after installation.

Suitable for indoor or outdoor line marking projects, on concrete or timber or asphalt. For all warehouses, car parks, or driveways.



Yellow & White




SP-Marking-Dots

### MARKING DOTS

Manufactured from durable injection moulded plastic, suitable for concrete or asphalt surface, light weight easy to install by one person, designed in Australia for Australian conditions.

Marking dots are to mark areas for permanent or temporary marking, it can be instead of paint which fads over time. Available in high visibility safety yellow colour for schools, or in blue for disabled parking's and classic white and red.

Suited to use in concrete or asphalt, for all warehouses, car parks, or driveways.



1 fixing. 6mm x 35mm Nylon anchor  
Yellow, Blue, White & Red





# RANGE OF TACTILE

## TACTILE PRODUCTS

Enforcer Group provide a comprehensive range of hard-wearing Tactile Ground Surface Indicators (TGSIs), both 'Hazard' and 'Directional' type. All our tactile indicators are designed to the requirements of AS/NS 1428.4.1-2009 with the highest quality on the market and come with marketing leading warranties.

### STAINLESS STEEL TACTILE



Enforcer Stainless Steel tactile is compliant to AS/ NZS 1428.4.1-2009. This is made of CNC machined 316 Marine Grade Steel with sloped outer edge and rear substrate fixing stud.

Perfect for indoor and outdoor and can be used in tiles, natural stones, concrete, timber, carpet & vinyl.

### BRASS ALLOY TACTILE



Enforcer brass tactile is compliant to AS/NS 1428.4.1-2009. This is made of CNC machined brass alloy with sloped outer edge and rear substrate fixing stud.

Perfect for indoor and outdoor and can be used in tiles, natural stones, timber, carpet & vinyl.

### POLY TACTILE



Enforcer poly tactile is compliant to AS/NZS 1428.4.1-2009. This is made of polyurethane with sloped outer edge and rear substrate fixing stud.

Perfect for indoor and outdoor and can be used in tiles, natural stones, concrete, timber, carpet, vinyl & asphalt. Available in Black, Yellow, Grey and White.



### STAINLESS STEEL WITH INSERT



Enforcer Stainless Steel tactile is compliant to AS/ NZS 1428.4.1-2009. This is made of CNC machined 316 Marine Grade Steel with sloped outer edge. This tactile has a yellow and black carborundum grit insert for extra grip. Rear substrate fixing stud.

Perfect for indoor and outdoor and can be used in tiles, natural stones, concrete, timber, carpet & vinyl.



### POLY PAD TACTILE



Enforcer Poly pad tactile is compliant to AS/NZS 1428.4.1-2009 The peel and stick nature of the poly pad tactile made it very easy to install.

The adhesive in the pad back is very strong and waterproof can be used in staircase, ramps & escalator. Available in yellow, black and grey.



# RANGE OF STAIR NOSE



## STAIR NOSING PRODUCTS

Wide range of architecturally designed profiles to meet every demand, from heavy duty traffic in railway stations to the more general retail/ office use, providing maximum pedestrian safety and WHS requirements. Our Stair Nosing's are well tested and come in a range of styles and colours to suit use in just about any environment. They are manufactured to meet and exceed the Australian standards and building codes. Our stair nosing is completely anti-slip and can easily mount to the edge of your stairs.



Profile Length: 3660mm cut to desired length  
 Alloy: T5/6063  
 Surface Treatment: Anodized -Natural or Black  
 Insert: Anti-Slip Ribbed Polymeric  
 Slip Rating: P4 Wet Pendulum slip test

● ● ● ● ● **Polymeric**





Natural Anodised Extruded Aluminium Profile  
 Insert: Anti-Slip R13 Carborundum Grit  
 Slip Rating: P5 Wet Pendulum slip test

● ● ● **Carborundum Insert**




Profile Length: 3660mm cut to desired length  
 Alloy: T5/6063  
 Surface Treatment: Anodized -Natural or Black  
 Insert: Anti-Slip Fibre Glass Carborundum Grit  
 Slip Rating: P5 Wet Pendulum slip test

● ● ● **Carborundum Insert**



## ENTRANCE MATTING





BOLTS & SPIKES

MOUNTING SPIKES



FX-x1

Wheel Stop Mounting Spike used for installation of Wheel Stops to Asphalt surfaces.

- 14mmx300mm long bar shaft

12X75MM DYNA BOLT



FX-DB-12x75

Dyna Bolts used for Rubber Wheel Stop and Bollard Installation in Concrete.

- 12x75mm
- Flush Head Sleeve Anchor

12X75MM DYNA BOLT



FX-DB-16x150

Dyna Bolts used for Wheel Stop and Bollard Installation in Concrete.

- 16x150mm
- Flush Head Sleeve Anchor

COACH SCREW WITH 12MM WASHER



FX-W-12

Coach Screw for Speed hump and Bollard Installation.

- 12mm Washer
- 14mm x 100mm Hilti Plug
- M10 x 100mm(8.8 Coach Screw)

COACH SCREW WITH FENDER WASHER



FX-W-Fender

Coach Screw for Poly Speed hump Installation.

- Fender Washer
- 14mm x 100mm Hilti Plug
- M10 x 100mm(8.8 Coach Screw)

NYLON ANCHOR



FX-NylonAnchors

- 6mm x 35mm

★★★★★  
OUR CUSTOMERS  
SAY IT BEST

★★★★★  
“Quick and reliable service. I ordered the product and it was delivered and installed within a few days. The subcontractors who installed the product, provided great service with all expectations being met. I would definitely **recommend** Enforcer Group  
-The Atrium

★★★★★  
“Exceptionally **fast delivery**, arrived next day! Easy, hassle free transaction. Highly recommend.  
-Brooke Pym

★★★★★  
“Great service and price very helpful with any questions that I had, and best of all my **insurance** was **lowered** when I showed them the lockable bollard in place  
-Porthole Paul

★★★★★  
“**Competitive prices**, awesome service and bollards arrived exactly as advertised.  
-Nathan Kein

★★★★★  
“The convex mirror I ordered **arrived very quickly** and was just what I needed in my garage to help manouvre the car in and out. I was initially a bit concerned about the mirror quality, but it's fine, and certainly achieves it's purpose.  
-James Coombs

★★★★★  
“As always, the service is super fast and the **prices are the best** in Melbourne.  
-Dave

★★★★★  
“Fantastic service, I ordered my bollard on the Friday after New Years and as promised it was delivered on the Tuesday **exceptional service** especially for this time of year. Really happy with quality of 140cm removable bollard. A big thumbs up for all involved  
-Kate Bushfarm

★★★★★  
“Enforcer Group provide **quality products** at a great price, and they get the materials to you when you need them. Thoroughly recommended.  
-Greg Burgess

★★★★★  
“We bought some items for the business and are very pleased with **speed of delivery** and communication. Would not hesitate to recommend.  
-Lookout Cave Underground Motel

★★★★★  
“Very professional to deal with and **great quality items**. I'll definitely be using Enforcer Group again.  
-Cory Edwards

AND MORE...




**ORDER ONLINE!**

[www.enforcergroup.com.au](http://www.enforcergroup.com.au)

**CALL US!**

**1300 85 40 10**



 57-67 Popes Road, Keysborough Victoria 3173

 [sales@enforcergroup.com.au](mailto:sales@enforcergroup.com.au)



©2020 Enforcer Group. All Rights Reserved.

@enforcergroup